



THE VISION

- To source from strategic international suppliers an innovative range of the best quality equipment and supporting ancillaries for the machine render and plaster contractor.
- To bring these together under a strong, easily recognised brand.
- To take this range to the UK, Irish and International markets using the most effective means available.
- To ensure that all of this is carried out with clarity, honesty and integrity. Should we fail, it will be corrected.

THE STORY

Our beginnings go back to 2005, when Aristospray commenced selling render and plaster spraying machines to the construction industry in the UK and Ireland. Over the years the emphasis at Aristospray moved over to the supply of paint spraying equipment and consumables. This led to the launch of the Q-Tech brand - now firmly established as a market leader.



The render and plaster spraying contractor was never totally forgotten. Recent developments in the market have led to the decision to re-launch a much increased and vastly improved range – with its own distinctive brand.

This first edition of this catalogue was the result of that decision. This new edition, our second draws on all the feedback that the first one prompted. Some ranges have been expanded, others knocked back – of particular note here is that as a result of Lancy's decision towards the end of 2014 to appoint Strata as the exclusive importer into the UK and Ireland for their complete range of screed and render pumps that these are now all featured in detail.

To those of you that are already on board we'd say 'thank you for your business'. If you're new to Strata and yet to experience working with us we'd say 'Welcome, we look forward to working with you'.



STRATA UK STRATA IRELAND +44 7384 903854 +353 1690 3162 +44 1895 276751



AFTER SALES SUPPORT

Our technical advisory team are only a phone call way and are always ready to provide solutions to specific customer requirements or to help solve in the field questions as they arise. Further back up is offered by our regional account managers and technical staff, who are available for site visits and to provide customer support on request.

LOCATIONS

Strata UK

Quercus Court, Armstrong Way, Yate, Bristol BS37 5NG

+44 7384 903854

+44 1895 276751

Strata Ireland

2b Stephenstown Industrial Park, Balbriggan, County Dublin +353 1690 3162

www.StrataRenderSolutions.com







SCREED & RENDER MIXING PUMPS

Strata + Lancy

Now appointed as the official importer of this superb range into a number of markets internationally, the complete rang of machines from this highly acclaimed manufacturer are featured in full on the following pages.

And these really are the 'best of the best' - backed up by the best after sales service. Whether you're looking for a floor screed pump with an output of up to 5m3/hour or a diesel render mixing pump Lancy have got what it takes. They are just great bits of kit - you start one up in the morning, and switch it off when you pack in. They just eat through the work, and never stop - if you're seriously interested in competitively tackling more work in the future you have just got to give consideration to one of these machines.

Backing up the machines is the full range of spares and consumables.

All of the standard consumables from nozzles through hose to rotors and stators are featured in the 'Wearing Parts' section later in the catalogue. To find out more about any of these, or to discuss a particular need in detail call your local Sales Office – you'll find us keen to talk, whether you're a contractor or a user.



TF300/TF400 Page 16



STRATARENDERSOLUTIONS COM

LANCY PH9B-S

RENDER & PLASTER MIXING PUMP

▶ DUST EXTRACTION SYSTEM

SUPPLIED COMPLETE WITH

- Road trailer
- ► 2L61 rotor and stator
- ▶ 180 litre mixer hopper with side trap doors
- ► Dust extraction system with dust discharge pipe
- ► Integral high-pressure washer
- ▶ Water meter
- Ball trailer coupling
- ► Mortar hose 35 mm x 13.3 m, M50 x F35
- ► Mortar hose 35 mm x 13.3 m, M35 x F35
- ► Mortar hose 25 mm x 5 m, M35 x F25
- Compressed air hose 13 mm x 40 m
- ► Monocouche lance with 10 / 12 / 14 nozzles
- Sponge cleaning ball
- ▶ Hose support strap

OPTION

▶ 1.5L63 rotor and stator





PRODUCT DATA

Product Code	РН9В-Ѕ
Max grain size	6 mm
Theoretical flow rate	60 ltr/min (with 2L61) 100 ltr/min
	(with 1.5L63)
Max vertical reach	40 mtr
Max horizontal reach	100 mtr
Engine	Liquid cooled Kubota 3-cylinder 19.5 hp diesel
Hopper capacity	200 ltr
LxWxH(cm)	340 x 145 x 120
Weight	750 kg
Sound level (CE 2000/14)	85 dB
Warranty	2 years excluding wearing parts





LANCY PH9B-R

RENDER & PLASTER MIXING PUMP



SUPPLIED COMPLETE WITH

- Road trailer
- ▶ 2L61 rotor and stator
- ▶ 180 litre mixer hopper with hydraulic lift
- Dust extraction system with dust discharge pipe
- ► Integral high-pressure washer
- ▶ Ball trailer coupling
- ► Mortar hose 35 mm x 13.3 m, M50 x F35
- ► Mortar hose 35 mm x 13.3 m, M35 x F35
- ► Mortar hose 25 mm x 5 m, M35 x F25
- ► Compressed air hose 13 mm x 40 m
- Sponge cleaning ball

OPTION

▶ 1.5L63 rotor and stator

WE'VE GOT IT COVERED



PRODUCT DATA

Product Code	PH9B-R
Max grain size	6 mm
Theoretical flow rate	60 ltr/min (with 2L61) 100 ltr/min
	(with 1.5L63)
Max vertical reach	40 mtr
Max horizontal reach	100 mtr
Engine	Liquid cooled Kubota 3-cylinder 19.5 hp diesel
Hopper capacity	220 ltr
L x W x H (cm)	325 x 144 x 124
Weight	750 kg
Sound level (CE 2000/14)	85 dB
Warranty	2 years excluding wearing parts





LANCY PH9B-P

GROUT MIXING PUMP

- ▶ DUST EXTRACTION SYSTEM
- ▶ 300M RADIO REMOTE CONTROL
- ► HYDRAULIC LIFT MIXER
- ► ON-BOARD WATER PUMP
- ► TRAILER OR SKID MOUNTED

SUPPLIED COMPLETE WITH

- Road trailer
- 2L61 rotor and stator
- ▶ 180 litre mixer hopper with hydraulic lift
- Dust extraction system with dust discharge pipe
- ► Integral high-pressure washer
- ➤ 2-way remote control on/off with emergency stop, complies with European Directive 2006/42/CE
- Water meter
- ▶ Ball trailer coupling
- Extension hose 35 mm x 20 m, M50 x F35
- ► Mortar hose 35 mm x 13.3 m, M35 x F35
- Compressed air hose 13 mm x 40 m
- ► Monocouche lance with 10 / 12 / 14 nozzles
- Sponge cleaning ball
- ▶ Hose support strap

OPTION

- ▶ 1.5L63 rotor and stator
- ▶ Skid mount



PRODUCT DATA

Product Code	РН9В-Р
Max grain size	6 mm
Theoretical flow rate	60 ltr/min (with 2L61) 100 ltr/min (with 1.5L63)
Max vertical reach	40 mtr
Max horizontal reach	100 mtr
Engine	Liquid cooled Kubota 3-cylinder 19.5 hp diesel
Hopper capacity	220 ltr
L x W x H (cm) Trailer	325 x 144 x 124
L x W x H (cm) Skid	299 x 152 x 125
Weight	750 kg
Sound level (CE 2000/14)	85 dB
Warranty	2 years excluding wearing parts





STRATA

LANCY TF300/ TF400

LIQUID FLOOR SCREED PUMP

► POWERFUL 44 HP KUBOTA TURBO ENGIN

SUPPLIED COMPLETE WITH

- Road trailer
- ► TF300 15L71 rotor and stator
- ► TF400 7515 rotor and stator
- ► 7515 rotor and stator
- ➤ 220 litre discharge hopper
- ► Integral high-pressure washer
- 2-way remote control on/off with emergency stop, complies with European Directive 2006/42/CE
- ▶ Water meter
- ▶ Ball trailer coupling
- ► Mortar hose 50 mm x 13.3 m, M50 x F50
- ► Mortar hose 50 mm x 26.6 m, M50 x F50
- Sponge cleaning ball
- Hose support strap

OPTION

- ► TF300 7515 rotor and stator
- ► TF400 2L8 rotor and stator



PRODUCT DATA

Product Code	TF300
Max grain size	8 mm
Theoretical flow rate	14 m3/hour 233 ltr/min
Max horizontal reach	100 mtr
Engine	Liquid cooled Kubota 3-cylinder 25.5 hp diesel
Hopper capacity	220 ltr
L x W x H (cm) trailer	332 x 153 x 118
Warranty	2 years excluding wearing parts

PRODUCT DATA

Product Code	TF400
Max grain size	12 mm
Theoretical flow rate	20 m3/hour 333 ltr/min
Max horizontal reach	200 mtr
Engine	Liquid cooled Kubota 4-cylinder 44.3 hp diesel
Hopper capacity	220 ltr
L x W x H (cm) Trailer	333 x 153 x 118
Warranty	2 years excluding wearing parts





BRINKMANN DC450

SCREED & RENDER MIXING PUMPS

FLOOR SCREED MIXING PUMP

► POWERFUL 44 HP KUBOTA TURBO ENGINE

SUPPLIED COMPLETE WITH

- Road trailer
- ▶ 260 litre discharge hopper
- ▶ Water meter
- Ball trailer couplingDelivery hose 60 mm x 20 m
- ► Sponge cleaning ball

OPTION

► Integral high-pressure washer

PRODUCT DATA

Product Code	DC450
Max grain size	16 mm
Theoretical flow rate	5 m3/hour 83 ltr/min
Max vertical reach	90 mtr
Max horizontal reach	180 mtr
Engine	Liquid cooled Deutz 3-cylinder 42.2 hp diesel
Hopper capacity	260 ltr
Weight	1900 kg
L x W x H (cm) Trailer	502 x 156 x 252
Warranty	2 years excluding wearing parts







STRATA CP002

ELECTRIC SCREW PUMP

Versatile ▶

Pumps all common pre-mixed materials up to 2 mm grain

Portable ▶

Separates in minutes into three components

Easy carry ▶

Use anywhere on a site including upper levels

Simple to operate and clean ► PU funnel slide coated

Controllable output ▶

Variable speed control can be operated remotely

Designed and manufactured exclusively for Strata by Giema in Germany



SCREW PUMPS

DESCRIPTION

High performance mini-pump for working with premixed products with a grain size of 2 mm. Ideal for fillers, grouts, jointing compounds etc. Use for pumping and spraying.

PRODUCT DATA

Product Code	CP002/110
Max grain size	2 mm
Output	0.7 - 2.0 ltr/min
Dlvy pressure	Up to 10 bar
Max reach	10 mtr
Capacity	27 ltr
Motor	110 volt, 1.1 kW
Weight	1 <i>5</i> kg
Delivery hose connection	NW20

STRATA

SUPPLIED COMPLETE WITH

- Variable speed control
- Connection for remote control
- Rotor/stator
- Detachable slide coated PU hopperSTANDARD OPTIONS INCLUDE
- Remote control cable
- ▶ 1/2" air hose x 10 m
- ≥ 20 mm delivery hose x 10 m
- Pressure gauge
- Spray gun with ball valve
- Mobile compressor

STRATA CP006

ELECTRIC SCREW PUMP

Powerful ▶

110 volt single phase 1.8 kW motor

Controllable output ▶

Variable speed control can be operated remotely

Easy carry ▶

Use anywhere on a site including upper levels

Simple to operate and clean ► PU funnel slide coated

Designed and manufactured exclusively for Strata by Giema in Germany



Easy knock-down for a quick get up and go

SCREW PUMPS

DESCRIPTION

Flexible mini-pump for working with pre-mixed product with a grain size of 3 mm. Easily dismantled and transported, particularly useful for interior applications. Use for pumping and spraying.

PRODUCT DATA

Product Code	CP006/110
Max grain size	3 mm
Output	0.7 - 6.0 ltr/min
Dlvy pressure	Up to 15 bar
Max reach	20 mtr
Capacity	27 ltr
Motor	110 volt, 1.8 kW
Weight	33 kg
Delivery hose connection	NW20

SUPPLIED COMPLETE WITH

- Variable speed control
- Connection for remote control
- Rotor/stator
- Detachable slide coated PU hopper
- STANDARD OPTIONS INCLUDE
- ▶ 1/2" air hose x 10 m
- ▶ 20 mm delivery hose x 10 m
- Pressure gauge
- Spray gun with ball valve
- Mobile compressor



- And Control of the Control of the

STRATA





COMPRESSORS

DELTA 2 COMPRESSOR

PRODUCI DAIA	
Product Code	CS052/110 or 240
Motor	520 watt
Output @ 0.5 bar	180 ltr/min
Weight	14 kg
Length	41.5 cm
Width	19.2 cm
Height	34.4 cm



STRATA CS205 COMPRESSOR

Product Code	CS205/110 or 240
Motor	2.05 kW
Output @ 0.5 bar	330 ltr/min
Weight	32.5 kg
ength	45 cm
Vidth	30 cm
leight	<i>7</i> 0 cm



Wearing Parts

Strata + Lancy globally



1.5L63 ROTOR

920030 **Product Code**



1.5L63 STATOR

920034 **Product Code** For use with Lancy PH9B-S, PH9B-R, PH9B-P




2L61 ROTOR

920029 **Product Code**



2L61 STATOR

Product Code 920001 For use with Lancy PH9B-S, PH9B-R, PH9B-P





1.5L71 STATOR **Product Code** 920036 For use with Lancy TF300 C 00

2L8 ROTOR

Product Code 7000508021
For use with Lancy TF400



2L8 STATOR

Product Code 920032
For use with Lancy TF400



Product Code 433023
For use with Lancy TF400





Product Code H7000751400

For use with Lancy TF400



Product Code 648807



SPRAY NOZZLE

Product Codes	
10 mm	500011000
12 mm	500011200
14 mm	500011400
16 mm	500011600
18 mm	500011800



AIR HOSE

Product Code	
I 5 m	5010400
10 m	5011500



FLUID HOSE

Product Codes		
25 mm x 5 m	5010200	
35 mm x 13.3 m	5010100	
35 mm x 35 mm)		
35 mm x 13.3 m	5010000	
35 mm x 50 mm)		
i0 mm x 13.3 m	5010300	
50 mm x 50 mm)		



QUICK RELEASE WATER CONNECTOR

Product Codes	
1/2" Hose Tail	801515
3/4" Hose Tail	801516
1" Hose Tail	80151 <i>7</i>



COUPLER SEAL

25 mm	801489/1
35 mm	801481/1
0 mm	801488/1



SPONGE WASH BALLS

Product Codes	
18 mm dia	99000020301
25 mm dia	99000020300
30 mm dia	99000020037
35 mm dia	99000050128
45 mm dia	99000050153
60 mm dia	99000050154

Suitable for all types of render machines



N13S ROTOR AND STATOR

N13S ROTOR

9900000240 **Product Code**

For use with Strata MPO25

N13S STATOR

Product Code 9900000239

For use with Strata MP025



N13S ROTOR HALF-SPEED AND STATOR

N13S ROTOR HALF-SPEED

99000000242 **Product Code**

For use with Strata MPO25

N13S STATOR HALF-SPEED

Product Code 9900000241

For use with Strata MP025



0.67 - 2.0 ltr ROTOR AND STATOR

0.67 - 2.0 ltr ROTOR

9900000212 **Product Code**

0.67 - 2.0 ltr STATOR

Product Code 9900000211

For use with Strata CP006



2.0 – 6.0 ltr ROTOR AND STATOR

2.0 - 6.0 ltr ROTOR

Product Code 99000000217

2.0 - 6.0 ltr STATOR

Product Code 99000000216

For use with Strata CP006



D6-3 MAINTENANCE FREE ROTOR AND STATOR

D6-3 ROTOR

9900000182 **Product Code**

D6-3 STATOR

Product Code 9900000181

For use with Strata CP055, MSO55



Wearing Parts

D4-1/2 MAINTENANCE FREE ROTOR AND STATOR

D4-1/2 ROTOR

Product Code 9900000174

D4-1/2 STATOR

9900000173 **Product Code**



D8-1.5 MAINTENANCE FREE ROTOR AND STATOR

D8-1.5 ROTOR

Product Code

9900000186

D8-1.5 TENSIBLE STATOR

9900000185 **Product Code** For use with Strata CP055, MSO55



60-12 PLUS SO ROTOR AND STATOR

60-12 PLUS SO ROTOR

Product Code 99000000220

60-12 PLUS SO STATOR

99000000219 **Product Code**



D8-2 ROTOR AND STATOR

D8-2 ROTOR

Product Code 9900000263

D8-2 STATOR

9900000262 **Product Code** For use with Strata MP050, MSO55




N13S-135 ROTOR AND STATOR

N13S-135 ROTOR

9900000252 **Product Code**

N13S-135 STATOR

99000000253 **Product Code**





SILICONE SPRAY

99000050013 **Product Code**

Assists smoother running of rotor and stator and improves service life. 400 ml aerosol can.



MONOCOUCHE SPRAY LANCE

Product Code 99000050148 With ball valve




MONOCOUCHE SPRAY LANCE

Product Code 99000050283 Without ball valve



MONOCOUCHE SPRAY LANCE

99000050282 **Product Code** Without ball valve 600mm long



MONOCOUCHE SPRAY LANCE NOZZLE

Product Codes

10 mm dia	99000050149
12 mm dia	99000050150
14 mm dia	99000050151
16 mm dia	9900050152



ACRYLIC SPRAY LANCE

Product Code 99000050273

Instant on/off switch, includes remote control cable x 10 m

99000050271 **Product Code**

Standard gun, needs remote control cable



ACRYLIC SPRAY LANCE NOZZLE

Product Codes

4.5 mm dia	99000050176
6.5 mm dia	99000050177
8.5 mm dia	99000050178
10.5 mm dia	99000050179









Wearing Parts

AIR HOSE

Product Codes	
¹ / ₂ " x 10 m	99000050160
½" x 13.3 m	99000050161



DELIVERY HOSE

Product Code	
25 mm x 10 m	99000050123WH



WATER HOSE

3/4"	Geka	fitting

Product Codes	
2 m	33402GKTS
5 m	33405GKTS
10 m	33410GKTS
20 m	33420GKTS
25 m	33425GKTS
50 m	33450GKTS



Connector to standard water tap
Product Code 0500104

WASH-DOWN GUN & HOSE Product Code 3 m 99000050210





GEKA FILTER

Product Code 99000020211



TOOL KIT



REMOTE CONTROL CABLE

Product Codes
10 m 99000030289
20 m 99000030113





MÖRSER

ELECTRIC FORCED ACTION PADDLE MIXERS

▶ 100-120 LTR

COMPACT, MOBILE DESIGN

- ► Both sizes easily fit through standard doorways
- Large wheels improve mobility across uneven ground and stairs

SIMPLE, STRONG ENGINEERING

► Bolted mixer arm and blade ensure strength and straightforward changing of wearing parts

CONVENIENT

- ► Accurate delivery to a bucket or wheelbarrow
- ► One person can easily load into truck or van
- ► Three serrated bag splitters on lid ensure speedy filling

EFFICIENT MIXING

► Tapered design to pan base ensures consistent, thorough mixing and clean emptying

SAFETY

 Guarded mixer chute and auto cut-off when lid opened ensure a high level of operative safety

POWERFUL

► 1.1 kW single phase motors available as 110 volt or 240 volt



A range of 110/240 volt forced action paddle mixers with capacities ranging from 100 ltr to 120 ltr. An outstanding feature is the width; each mixer is narrow enough to fit with ease through a standard 2'6" doorway. Another great feature are the telescopic legs; ensure the mixer remains level even when sited on uneven ground. Use to mix perfect loads in 3 – 5 minutes.

Easy cleaning paddles bolted for quick removal and sturdiness

Ergonomically designed frame ensures easy tipping

Guarded mixer chute

Empty into a bucketstood on the hinged frame; or hinge the frame up and empty into a barrow which can be positioned right under the delivery chute 3–5 minutes, that's all it takes to get a perfect mix

Three serrated bag splitters on hinged lid ensure clean, speedy filling

00000

110 volt or 240 volt motor

depending on market

On/off switch for motor fully protected in all environments

Pan base tapered for a consistent, thorough mix

Mixer can be tipped on its back for easy loading into a small van or truck















STRATA

Safety

Safety is not something that is taken lightly at Strata. When we source our products the safety of the operator and safety of the tool is always an important consideration in the selection process. The safety of the operator when using Strata products is of paramount importance. By choosing Strata products you have made a responsible decision as all Strata products are supplied with safety instructions. Ultimately safety rests with the operator which is why instructions need to be read and adhered to. It is also important to ensure that the operator is aware of the correct safety clothing to use and that it is worn.

After Sales

Our technical advisory team are only a phone call way and are always ready to provide solutions to specific customer requirements or to help solve in the field questions as they arise. Further back up is offered by our regional account managers and technical staff, who are available for site visits and to provide customer support on request.

Warranty

All Strata products are, unless otherwise specified warranted under normal use and service against defects in materials and workmanship for 12 months from the time of purchase. This does not include the Lancy range of machines which are warranted under normal use and service for 24 months (excluding wearing parts) from the time of purchase. These warranties do not cover wear from normal use, or any problems caused by misuse, abuse, modification or improper maintenance of the machine/tool. Strata warrants to the original purchaser that all products covered under their warranties are free from defects in material and workmanship. Strata will repair or replace, at their option, products or components which have failed under the warranty period. All decisions of Strata regarding the warranty shall be final.

Environmental

Strata is committed to managing environmental impact as an integral part of our operations. In particular, it is our policy to assure the environmental integrity of our processes and facilities at all times. We will do so by adhering to the following principles:

- We employ management systems and procedures specifically designed to minimize the use of hazardous materials, energy and other natural resources, to minimize the generation of waste and to enable recycling and reuse of materials.
- We continually seek opportunities to improve our environmental performance by establishing objectives and targets, measuring progress, and reporting our results; including but not limited to energy, water, paper and fuel consumption and vehicle miles travelled.

The Catalogue

The information provided in this catalogue has been carefully researched and is based on testing and data provided by the manufacturers as accurate. This accuracy cannot be guaranteed. Results will inevitably vary depending on the application, and Strata reserve the right to amend specifications and/or to withdraw products without notice.

Catalogue © 2019 Strata, an own brand from Aristospray UK.

2b:creative +44 (0) 9266 9888



